

#6

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : C11D 17/04, 3/395, 3/48	A1	(11) International Publication Number: WO 90/02166 (43) International Publication Date: 8 March 1990 (08.03.90)
(21) International Application Number: PCT/GB89/00932 (22) International Filing Date: 14 August 1989 (14.08.89) (30) Priority data: 8819969.0 23 August 1988 (23.08.88) GB (71) Applicant (for all designated States except US): FIBRE TREATMENTS (HOLDINGS) LIMITED [GB/GB]; Smallshaw Industrial Estate, Accrington Road, Burnley BB11 5SR (GB). (72) Inventor; and (75) Inventor/Applicant (for US only) : FELLOWS, Adrian, Neville [GB/GB]; 1 Slater Bank, Hebden Bridge, West Yorkshire HX7 7DY (GB). (74) Agent: BRAY, Lilian, Janet; L.J. Bray & Co., Raw Holme, Midgehole Road, Hebden Bridge, West Yorkshire HX7 7AF (GB).		(81) Designated States: AT (European patent), AU, BE (European patent), CH (European patent), DE (European patent), FR (European patent), GB (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent), US. Published <i>With international search report.</i>
(54) Title: A DISINFECTING OR BLEACHING TISSUE (57) Abstract <p>The present invention relates to a tissue suitable for use in the disinfection of hard surfaces, instruments and human or animal skin or as a sheet inclusion in a washing process for the purpose of disinfection or bleaching. The tissue comprises first and second substrate layers which are bonded together with an adhesive polymer. This polymer also retains solid particles between the layers, which particles, when dampened with a suitable liquid, become active and release chlorine. Preferably, the adhesive polymer comprises either a copolyester, copolyamide or polyethylene hot melt adhesive powder or an ethylene vinyl acetate (EVA) or modified EVA hot melt adhesive powder with a particle size between 0 and 750 microns inclusive. Preferably also, the chlorine release agent comprises sodium dichloroisocyanurate dihydrate which is mixed with the adhesive polymer and applied between the substrate layers in coating weights between 2 and 35 grams per square metre inclusive to yield active solutions of between 10 and 10,000 parts per million available chlorine when the tissue is dampened with water.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MR	Mauritania
BE	Belgium	GA	Gabon	MW	Malawi
BF	Burkina Faso	GB	United Kingdom	NL	Netherlands
BG	Bulgaria	HU	Hungary	NO	Norway
BJ	Benin	IT	Italy	RO	Romania
BR	Brazil	JP	Japan	SD	Sudan
CA	Canada	KP	Democratic People's Republic of Korea	SE	Sweden
CF	Central African Republic	KR	Republic of Korea	SN	Senegal
CG	Congo	LI	Liechtenstein	SU	Soviet Union
CH	Switzerland	LK	Sri Lanka	TD	Chad
CM	Cameroon	LU	Luxembourg	TG	Togo
DE	Germany, Federal Republic of	MC	Monaco	US	United States of America
DK	Denmark				

A DISINFECTING OR BLEACHING TISSUE

The present invention relates to a tissue
suitable for use in the disinfection of hard surfaces,
instruments and human or animal skin or as a sheet
inclusion in a washing process for the purpose of
disinfection or bleaching.

In our United Kingdom Patent Application No.
8727915 is described a disinfecting wipe or sheet
inclusion in which a nonwoven lofted substrate is used
to entrap solid particles of a chlorine releasing
agent within the matrix of fibres forming its
structure. The solid particles are activated to
release chlorine when dampened with a suitable liquid
to provide the desired disinfecting or bleaching
effect.

The advantage of this product is that hitherto no
similar product had been produced which utilised
chlorine as a disinfecting agent. Chlorine is an
effective, fast-acting surface disinfectant which can
be used to kill a wide spectrum of micro-organism
without leaving a sticky or smearing residue but
previous methods of impregnating or coating substrates
with chlorine releasing chemicals had not resulted in
a stable or effective product with an appreciable
shelf life.

The disadvantages of the product described in our
aforementioned patent application is that it is
comparatively expensive as a result of the substrate
material employed. Other disinfecting products such
as those described in United States patent
specification numbers 4,259,383 and 4,515,703 also
suffer from the same disadvantage. In addition, these

products do not make use of as effective a disinfecting agent as chlorine. U.S. patent specification No. 4,259,383, for example, gives an example of a surface test made using a tissue made according to its claims, wherein the killing time for certain micro-organisms is of the order of one hour. This is far too long for many practical applications of the tissue.

United States patent specification No. 4,532,063 describes a dissolvable bleach sheet composition which does include a chlorine release agent. However, this sheet again suffers from the disadvantage of being expensive to produce and also from the disadvantage that it is unsuitable for uses other than laundry use.

The object of the present invention is to overcome the aforementioned disadvantages and to produce a disinfecting and bleaching tissue which is inexpensive to produce and which has the advantage of using chlorine as the active agent.

According to the present invention there is provided a tissue for use in a disinfecting or bleaching operation comprising first and second substrate layers which are bonded together and between which are retained solid particles which, when dampened with a suitable liquid, become active and characterised in that the substrate layers are bonded together with an adhesive polymer which also retains the solid particles, and in that the solid particles comprise a chlorine release agent.

Preferably, one or both substrate layers comprise paper, for example wet strength tissue, high bulk tissue, dry-laid paper etc., or a nonwoven, for

example dry laid coverstock, melt-blown, spun bonded, wet laid, hydroentangled powder bonded or other types of nonwoven, or a textile material, or a sponge material, or a plastics film depending on the use for which the tissue is designed. In some cases, it may be preferable for one or both substrate layers to be hydrophobic and impermeable or alternatively a high water absorption may be desirable.

10 Preferably also, the adhesive polymer comprises a copolyester, copolyamide or polyethylene hot melt adhesive powder, or an ethylene vinyl acetate (EVA) hot melt adhesive powder or a modified EVA hot melt adhesive powder. The particle size of these powders
15 is in the range 0 - 750 microns inclusive and preferably between 50 - 300 microns. The hot melt adhesive powder is mixed with the solid particles comprising the chlorine release agent before its use in bonding the first and second substrates together.
20 Typically the prepared powder composition will be applied to give coating weights of between 2 and 35 grams per square metre of low melting point polymer, along with levels of chlorine donor calculated to yield active solutions of between 10 and 10,000 ppm
25 available chlorine upon wetting the tissue or wipe as appropriate to the product's particular application.

 Besides the melting point, or melting temperature range, the melt viscosity and melt index values for
30 the adhesive powder are considered.

 In addition to the preferred polyester or polyamide families of adhesive powder, there are other individual polymers possessing appropriate
35 characteristics, these are exemplified but not limited to polycaprolactone.

Typically, such bonding powders have a melting point or melting temperature range in the range of 60°C to 180°C inclusive and one must be used which has a lower melting point than the materials making up the substrate layers. It has been found that where synthetic fibres are utilised in a substrate, then preferably the hot-melt adhesive powder is a low temperature adhesive polymer with a melting point approximately 20-30°C below that of the fibres to prevent damage thereto. Due regard must also be paid to optimising the adhesive compatibility of the powder with the substrate fibres. The preferred low temperature powder adhesives mentioned above will maintain their bond strength when the laminated tissue is wetted with water.

Preferably also, the chlorine release agent becomes active when dampened with water.

The chlorine release agent may, for example, comprise one or more of the following chemicals: calcium hypochlorite; chlorinated tri-sodium phosphate; N,N dichlorazo-dicarbonamidine; sodium p toluene sulphonchloramide; p toluene sulphonchloramide; sodium benzene sulphonchloramide; succinchloride; p-sulphonchloramidobenzoic acid; 1,3 dichloroo-5-5 diethyl hydantoin; trichloro-isocyanuric acid; sodium dichloroisocyanurate; sodium dichloroisocyanurate dihydrate; potassium dichloroisocyanurate; or trichloromelamine. In addition, other chlorine release agents can be used which are either solid or which may be rendered as powders or granules by adsorption on to a suitable carrier.

Additionally, a chlorine release agent may be

used in combination with other compounds such as a detergent, for example sodium alkylbenzene sulphonate, or sodium lauryl sulphate, or a detergent builder, for example sodium carbonate, sodium metasilicate, or sodium sulphate. Other compounds which may be used in this way include superabsorbent polymers, fragrances, perfumes, abrasives, or dyes.

10 If the tissue is to be used for disinfecting surfaces, then a dye may be either incorporated into at least one of the substrate layers or mixed with the particles so that it is bleached by the chlorine when released to provide a visual indication of the status of the tissue with regard to the exhaustion of its disinfecting properties.

15 The present invention will now be described by way of example with particular reference to the production of tissues suitable for use in the disinfection of surfaces.

20 A disposable tissue for use in the disinfection of a hard surface is made by mixing together sodium dichloro-isocyanurate dihydrate, otherwise known as sodium dichlor-1,3,5 triazinetrione dihydrate, in powder form with a low melting point polyester bonding powder until an even mix is obtained. This mixed powder is then uniformly scattered or otherwise applied to a first substrate layer such as a web of light-weight absorbent paper or nonwoven. It will be appreciated that the final level of chlorine donor available in the finished product will be influenced inter alia by the rate of powder application, by the proportion of adhesive powder to chlorine donor powder, and by the speed of the web receiving the powder.

For example, a chlorine disinfectant wipe within the scope of this invention may be made by applying a powder comprising 3 parts sodium dichloro-isocyanurate dihydrate mixed with 20 parts of polyethylene adhesive powder, to a 20 grams per square metre viscose nonwoven. The rate of application of powder is 12 grams per square metre with the nonwoven web moving at 30 metres/minute.

10 The ratio of chlorine donor to adhesive powder may vary from 1 - 40 to 1 - 1. The substrate weight may vary from 12 grams per square metre up to 80 grams per square metre but is preferably between 15 and 30 grams per square metre, whilst the rate of powder application may be varied between 2 and 50 grams per square metre, but is preferably between 4 and 35 grams per square metre. The substrate may be selected from amongst those previously mentioned. A second substrate is then overlaid on the first layer so that the powder mixture is sandwiched between the two layers and heat and pressure are applied for a short period of time. The level of heat applied should be sufficient to cause the bonding powder to melt and bond the substrate layers together but not sufficient to cause any detrimental effect to the substrate layers, or the chlorine release agent, or any other chemicals mixed therewith. It will be appreciated that the melting and subsequent resetting of the bonding powders to bind the substrate layers together also binds and retains the chlorine release agent in the tissue.

Owing to the uniform dispersion of the chlorine release agent in the bonding powder initially and the uniform scattering of the resulting mixture over first substrate layer, the chlorine releasing agent is sufficiently uniformly dispersed between the substrate

layers to avoid hazards which may otherwise be anticipated in the use of chlorine compounds with fragile cellulosic material, such as paper, as a result of the oxidative potential of such materials.

5 In addition, a quantitatively measurable amount of the chlorine release agent is bonded between the substrate layers and this amount can be varied over a wide range to enable the tissue to function as a sanitiser at one end of the range or as a heavy duty disinfecting

10 product at the other end of the range.

It will be appreciated that this product can be made simply utilising the cheapest and most absorbent types of substrate, for example paper tissue, and

15 embodies the properties of antimicrobial effectiveness with the convenience, simplicity, disposability and affordability required by many users of such products.

Four specific batch manufacturing processes will

20 now be described for the production of tissue wipes with varying chlorine donor loadings.

EXAMPLE 1

25 This process will produce a 15 cm x 10 cm wipe with a chlorine donor loading corresponding to the generation of 5000 parts per million available chlorine when dampened with 5 ml of water.

30 Sodium dichloro - 1,3,5 triazinetrione dihydrate powder, otherwise known as sodium dichloroisocyanurate dihydrate, is coloured blue by tumble mixing it with Ultramarine blue pigment in the ratio 100 parts chlorine donor powder to 0.15 parts pigment. The

35 resulting dyed powder is then mixed with an EVA (ethylene vinyl acetate) hot melt adhesive powder in

the ratio of 1 part dyed chlorine donor powder to 2.33 parts by weight of the adhesive powder. Mixing is continued until a homogeneous mixture is obtained.

5 The dyed chlorine donor and adhesive powder mixture is then placed in the scattering head of a conventional laminating machine and applied to the surface of a nonwoven fabric such as previously described at a rate of 10 grams per square metre. A
10 second layer of nonwoven fabric is then laid over the surface of the first fabric, trapping the scattered powder between the fabric layers. These layers are then laminated together at the laminating head of the machine by a combination of heat and pressure causing
15 the adhesive powder to melt to weld the fabric layers together and trap the dyed chlorine donor powder therebetween.

 After lamination, the bonded fabric layers are
20 reeled and transferred to converting machinery which slits and cuts the fabric layers into individual 15cm x 10 cm wipes ready for packing.

 It will be appreciated that blue dye which was
25 initially mixed with the chlorine donor powder permits the status of the wipe to be visually assessed as on release of chlorine by the donor powder when the wipe is dampened, the blue dye is gradually bleached white by the chlorine. The ratio of dye to chlorine donor
30 powder is gauged such that once the wipe has turned completely white it can be assumed that all available chlorine has been released and that the wipe is no longer effective for disinfection purposes.

35 Application rate of powder mixture = 10 g/m²

Each wipe is 10 cm x 15 cm = 0.015 m² giving 66.66
wipes per square metre

Hence:

5

$$\frac{10}{66.66} = 0.150 \text{ g powder mixture per wipe}$$

10 $\frac{0.150 \times 1}{3.33} = 0.045 \text{ g chlorine donor powder per wipe}$

$$\frac{0.150 \times 2.33}{3.33} = 0.105 \text{ g adhesive powder per wipe}$$

15 $\frac{0.045 \times 100}{0.150} = 30\% \text{ chlorine donor powder}$

$$\frac{0.105 \times 100}{0.150} = 70\% \text{ adhesive powder}$$

20

EXAMPLE 2

25 This process will produce a 20 cm x 20 cm wipe with a
chlorine donor loading corresponding to the generation
of 5000 parts per million available chlorine when
dampened with 15 ml of water.

30 In this example sodium dichloro - 1,3,5 triazinetrione
dihydrate powder is again coloured blue as in Example
1 by tumble mixing it with Ultramarine blue pigment in
the ratio 100 parts chlorine donor powder to 0.15
parts pigment. The resulting dyed powder is then mixed
with an EVA (ethylene vinyl acetate) hot melt adhesive
35 powder in the ratio of 1 part dyed chlorine donor
powder to 2.074 parts by weight of the adhesive powder

until an homogeneous mixture is obtained.

As in Example 1 a conventional laminating machine is used to scatter the powder mixture on to a first nonwoven fabric layer at the rate of 10.375 grams per square metre. After lamination of a second nonwoven fabric layer on to the first layer, the resulting laminate is cut into 20 cm² wipes ready for packing.

Application rate of powder mixture = 10.375 g/m²

Each wipe is 20 cm x 20 cm = 0.040 m² giving 25 wipes per square metre

Hence:

$$\frac{10.375}{25} = 0.415 \text{ g powder mixture per wipe}$$

$$\frac{0.415 \times 1}{3.074} = 0.135 \text{ g chlorine donor powder per wipe}$$

$$\frac{0.415 \times 2.074}{3.074} = 0.280 \text{ g adhesive powder per wipe}$$

$$\frac{0.135 \times 100}{0.415} = 32.5\% \text{ chlorine donor powder}$$

$$\frac{0.280 \times 100}{0.415} = 67.5\% \text{ adhesive powder}$$

EXAMPLE 3

This process will produce a 30 cm x 30 cm wipe with a chlorine donor loading corresponding to the generation

of 800 parts per million available chlorine when immersed in 1.25 litres of water.

Sodium dichloro - 1,3,5 triazinetrione dihydrate
 5 powder is again coloured blue as in Example 1 and 2 by
 tumble mixing it with Ultramarine blue pigment in the
 ratio 100 parts chlorine donor powder to 0.15 parts
 pigment. The resulting dyed powder is then mixed with
 an EVA (ethylene vinyl acetate) hot melt adhesive
 10 powder in the ratio of 1 part dyed chlorine donor
 powder to 0.35 parts by weight of the adhesive powder
 until an homogeneous mixture is obtained.

This powder mixture is scattered on to a layer of
 15 nonwoven fabric in a lamination machine at the rate of
 27 grams per square metre of fabric and a second layer
 of nonwoven fabric is bonded thereto as described in
 Example 1. The laminate is then cut into 30 cm² wipes.

20 Application rate of powder mixture = 27 g/m²

Each wipe is 30 cm x 30 cm = 0.090 m² giving 11.11
 wipes per square metre

25 Hence:

$$\frac{27}{11.11} = 2.43 \text{ g powder mixture per wipe}$$

30 $\frac{2.43 \times 1}{1.35} = 1.80 \text{ g chlorine donor powder per wipe}$

$$\frac{2.43 \times 0.35}{3.074} = 0.63 \text{ g adhesive powder per wipe}$$

$$\frac{1.80 \times 100}{2.43} = 74.1\% \text{ chlorine donor powder}$$

$$\frac{0.63 \times 100}{2.43} = 25.9\% \text{ adhesive powder}$$

5

EXAMPLE 4

10 This process will produce a 50 cm x 50 cm wipe with a chlorine donor loading corresponding to the generation of 100 parts per million available chlorine when immersed in 10 litres of water.

15 As before, sodium dichloro - 1,3,5 triazinetrione dihydrate powder is coloured blue as in Examples 1, 2 and 3 by tumble mixing it with Ultramarine blue pigment in the ratio 100 parts chlorine donor powder to 0.15 parts pigment. The resulting dyed powder is
20 then mixed with an EVA (ethylene vinyl acetate) hot melt adhesive powder in the ratio of 1 part dyed chlorine donor powder to 0.972 parts by weight of the adhesive powder until an homogeneous mixture is obtained.

-25

This powder mixture is scattered on to a layer of nonwoven fabric in a lamination machine at the rate of 14.2 grams per square metre of fabric and a second layer of nonwoven fabric is then bonded thereto as
30 described in Example 1. The resulting laminate is cut into 25 cm² wipes.

Application rate of powder mixture = 14.2 g/m²

35 Each wipe is 50 cm x 50 cm = 0.25 m² giving 4 wipes per square metre

Hence:

$$\frac{14.2}{4} = 3.55 \text{ g powder mixture per wipe}$$

5

$$\frac{3.55 \times 1}{1.972} = 1.80 \text{ g chlorine donor powder per wipe}$$

10

$$\frac{3.55 \times 0.972}{1.972} = 1.75 \text{ g adhesive powder per wipe}$$

$$\frac{1.80 \times 100}{3.55} = 50.7\% \text{ chlorine donor powder}$$

15

$$\frac{1.75 \times 100}{3.55} = 49.3\% \text{ adhesive powder}$$

CLAIMS

1. A tissue for use in a disinfecting or bleaching operation comprising first and second substrate layers which are bonded together and between which are retained solid particles which, when dampened with a suitable liquid, become active and characterised in that the substrate layers are bonded together with an adhesive polymer which also retains the solid particles, and in that the solid particles comprise a chlorine release agent.
2. A tissue as claimed in Claim 1, characterised in that one or both substrate layers comprise paper, a nonwoven material, or a textile material, or a sponge material, or a plastics film.
3. A tissue as claimed in Claim 1 or Claim 2, characterised in that the adhesive polymer in powder form is mixed with the particles comprising the chlorine release agent and the resulting mixture is applied between the substrate layers in coating weights between 2 and 35 grams per square metre inclusive.
4. A tissue as claimed in any one of Claims 1 to 3, characterised in that the particles comprising the chlorine release agent are applied between the substrate layers in quantities to yield active solutions of between 10 and 10,000 parts per million available chlorine when the tissue is dampened.
5. A tissue as claimed in any one of Claims 1 to 4, characterised in that the adhesive polymer has a melting point below that of the materials comprising the first and second substrate layers.

6. A tissue as claimed in any one of Claims 1 to 5, characterised in that the adhesive polymer comprises a copolyester, copolyamide or polyethylene hot melt adhesive powder with a particle size between 0 and 750
5 microns inclusive.

7. A tissue as claimed in any one of Claims 1 to 5, characterised in that the adhesive polymer comprises an ethylene vinyl acetate hot melt adhesive powder or
10 a modified ethylene vinyl acetate hot melt adhesive powder with a particle size between 0 and 750 microns inclusive.

8. A tissue as claimed in any one of Claims 1 to 7,
15 characterised in that the chlorine release agent becomes active when dampened with water.

9. A tissue as claimed in any one of Claims 1 to 6, characterised in that the chlorine release agent
20 comprises one or more of the following chemicals: calcium hypochlorite; chlorinated tri-sodium phosphate; N,N dichlorazo-dicarbonamidine; sodium p toluene sulphonchloramide; p toluene
sulphondichloramide; sodium benzene sulphonchloramide;
25 succinchloride; p-sulphondichloramidobenzoic acid; 1,3 dichloroo-5-5 diethyl hydantoin; trichloro-isocyanuric acid; sodium dichloroisocyanurate; sodium
dichloroisocyanurate dihydrate; potassium
30 dichloroisocyanurate; or trichloromelamine.

10. A tissue as claimed in any one of Claims 1 to 9, characterised in that a dye is either incorporated into at least one of the substrate layers or mixed
with the particles comprising the chlorine release
35 agent, so that when the tissue is dampened and chlorine released, the dye is bleached by the chlorine

to provide a visual indication of the status of the tissue with regard to the exhaustion of chlorine therefrom.

INTERNATIONAL SEARCH REPORT

PCT/GB 89/00932

International Application No

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all) ⁶		
According to International Patent Classification (IPC) or to both National Classification and IPC		
Int.Cl. 5 C11D17/04 ; C11D3/395 ; C11D3/48		
II. FIELDS SEARCHED		
Minimum Documentation Searched ⁷		
Classification System	Classification Symbols	
Int.Cl. 5	C11D	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched ⁸		
III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹		
Category ¹⁰	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³
A	EP,A,0145438 (THE PROCTER & GAMBLE CO.) 19 June 1985 see page 5, line 10 - page 6, line 12 see claims ---	1-10
A	US,A,4532063 (T.D. GUELLENZOPF) 30 July 1985 see column 2, line 42 - column 3, line 12 see claims (cited in the application) ---	1-10
A	US,A,3634260 (J.H. PICKIN) 11 January 1972 see claims ---	1, 9
<p>¹⁰ Special categories of cited documents : ¹⁰</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p>		
IV. CERTIFICATION		
Date of the Actual Completion of the International Search	Date of Mailing of this International Search Report	
16 OCTOBER 1989	27 NOV 1989	
International Searching Authority	Signature of Authorized Officer	
EUROPEAN PATENT OFFICE	T.K. WILLIS	

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

GB 8900932

SA 30612

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

14/11/89

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A-0145438	19-06-85	None	
US-A-4532063	30-07-85	None	
US-A-3634260	11-01-72	BE-A- 623266 CH-A- 451871 DE-A- 1460861 FR-A- 1356936 GB-A- 955896 NL-A- 288374	04-03-71